


# **INDEX MAPS.** **T.25 N. R. 5 E. 2 <sup>d</sup> Mer.**

104	105	105	106	107	107	
110 6	148 5	138 4	132 3	125 2	118 1	104
147	147	138	132	124	117	
109 7	146 8	137 9	131 10	124 11	116 12	103
145	145	137	130	123	115	
109 18	144 17	136 16	130 15	122 14	114 13	103
143	143	136	129	122	114	
108 19	142 20	135 21	129 22	121 23	113 24	102
142	141	134	128	120	112	
108 30	140 29	134 28	127 27	120 26	112 25	102
140	139	133	126	119	111	
108 31	139 32	133 33	126 34	118 35	110 36	101
99	99	99	100	100	101	

# **T.26 N. R. 5 E. 2 <sup>d</sup> Mer.**

6	5	4	3	2	1	
7	8	9	10	11	12	
18	17	16	15	14	13	
19	20	21	22	23	24	
North Boundary of Reservation.						
158 30	167 29	165 28	163 27	162 26	160 25	157
168	166	164	163	161	159	
157 31	166 32	164 33	162 34	160 35	158 36	156
153	153	152	155	155	156	

 The figures on the lines refer to the page.

Township N. 25 N. Range N. 5 E. 2<sup>nd</sup> Mer. Indiana. 99.  
Chs. lks.

North Boundary.

Var. 4° 40' E.

N 89° 40' E. On S. Boundary of Sec. 31.

20.08 a Beech 18 in. diam.

34.00 Yel. 2<sup>nd</sup> Sec. post p. wh.

a B. Ash 15 in. diam. to N 35 E. 27 lks. dir.

a Do 10 " " " 4.50 W. 9 " "

64.20 a W. Ash 10 " "

74.00 Yel. post Cor. to Sec. 31 & 32 p. wh.

a Beech 12 in. diam. to N 17 E. 50 lks. &

a Do 20 " " " N 12 W. 59 "

Land Live pine rate fine  
half mile low and wet last half  
mile dry - W. B. Ash, Lym. Ironwood,  
Whitewood, Sycamore, B. Walnut, W. B.  
Oak - P. Ash & Spice

N 89° 40' E. On S. Boundary of Sec. 32.

15.16 a W. Oak 24 in. diam.

And

Enter Low Lana N. Y.

40.00 Yel. 2<sup>nd</sup> Sec. post p. wh.

a B. Ash 8 in. diam. to N 19 W. 24 lks. dir.

a Do 8 " " " 4 1/2 W. 31 " "

49.44 a Beech 8 " " & Low Lana N. Y.

54.00 a Trail N. Y.

73.50 Bed of Stream 20 lks. wide c. North by

80.00 Yel. post Cor. to Sec. 32 & 33 p. wh.

a Sugar 15 in. diam. to N 53 E. 24 lks. dir.

a Do 15 " " " N 65 W. 13 " "

Land Live pine rate Sugar  
Beech, Elm, Lym. Oak, Ironw. Hickory,  
W. B. Ash, Maple - P. Ash & Spice -

N 89° 40' E. On S. Boundary of Sec. 33. Var. 4° 35' E.

18.92 a Beech 12 in. diam.

40.00 Yel. 2<sup>nd</sup> Sec. post p. wh.



T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana

a Beech 8 in. diam. B. N. 24 E. 17 lb. av.  
an Iron? 6 " " " 4.24 W. 16 " "

61.02 a Hickory 10 " "

80.00 Set post Cor. to Sec. 33 & 34 p. w. h.

a Beech 10 in. diam. B. N. 30 W. 33 lb. x

a Do 10 " " " N. 29 E. 64 "

Land Soil rich firm rate -  
Sugar, Beech, Maple, W. & B. Oak, W. Ash,  
Hickory, Iron? W. Wood, B. Walnut  
Buckeye & P. Ash & Spruce - Oct. 31.

N. 89.40 E. On S. Boundary of Sec. 34 Var. 4.30 E.

7.50 Dry Bed of Stream 15 lb. wide co. Northernly

17.46 a W. Oak 15 in. diam.

46.70 Set 2<sup>nd</sup> Sec. post p. w. h.

a Beech 8 in. diam. B. N. 74 E. 10 lb. x

a Do 8 " " " N. 68 W. 33 "

61.50 a Lym 18 " "

80.00 Set post Cor. to Sec. 34 & 35 p. w. h.

a Beech 15 in. diam. B. N. 10 E. 26 lb. x

a Do 6 " " " N. 13 W. 20 "

Land Soil firm rate - Beech,  
Lym. B. Walnut, Gycamon, Ironwood,  
Whitewood, W. & B. Ash, Sugar, Maple,  
Buckeye & P. Ash & Spruce

N. 89.40 E. On S. Boundary of Sec. 35 Var. 4.20 E.

18.16 a W. Ash 12 in. diam.

35.10 a Pond 200 South

46.00 Set 2<sup>nd</sup> Sec. post p. w. h.

a Buckeye 6 in. diam. B. N. 28 E. 26 lb. x

a W. Ash 8 " " " N. 2 W. 31 "

47.00 a Stream 15 lb. wide co. Northernly

54.10 a W. Oak 20 in. diam.

65.00 a Road N. E. & S. W.

76.00 Enter Swamp N. E. & S.

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana. 101.

ch.

80.00 Sel post Cor. to Sec. 35 & 36 p. wh. (in S. 35)  
 a Maple 18 in. diam. B. N. 41 E. 39 1/2 k. x  
 a Do 10 " " " N. 76 W. 75 "  
 Land Soil pine oak. N. & B.  
 Ash. N. & B. Oak. Sugar. Iron wood.  
 W. Wood. Lym. Hickory. Sycamore &  
 W. 1/2 B. Oak & Spruce

N. 89.40 E. On S. Boundary of Sec. 36 Var. 41° 10' E.

4.00 Clear Swamp

23.23 a Beech 12 in. diam.

40.00 Sel 2<sup>nd</sup> Sec. post p. wh.

a Beech 12 in. diam. B. N. 20 W. 8 1/2 k. x

a Do 12 " " " N. 8 W. 36 "

51.28 a W. Wood 24 " "

80.00 Sel post Cor. to Towns 24 & 25 North  
 Ranges 5 & 6 East p. wh.

a B. Oak 15 in. diam. B. N. 66 W. 35 1/2 k. x

a W. Oak 15 " " " N. 43 E. 41 "

Intersected 2.99 S. of Township. post

Land Soil pine oak.

Sugar. Beech. Hickory. Elm. Lym.

Sycamore. B. Walnut. Maple. N. & B. Oak.

N. & B. Oak. - P. Ash.

East Boundary.

Var. 41° 10' East

N. 5' W. On E. Boundary of Sec. 36

30.30 a Beech 18 in. diam.

40.00 Sel 2<sup>nd</sup> Sec. post p. wh.

a Beech 20 in. diam. B. N. 80 E. 15 1/2 k. x

a Do 15 " " " N. 82 W. 58 "

74.00 a Road from Marion to Delhi E. & W.

80.00 Sel post Cor. to Sec. 25 & 36 p. wh.

a Beech 16 in. diam. B. N. 65 W. 25 1/2 k. x

a Do 12 " " " N. 30 W. 34 " "

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana.  
ch. bk.

Land Level firm rate Clay  
Soil - Beech, Sycamore, W. B. Oak, Lym. W.  
Wood, Iron. Elm, Maple, W. & B. Oak.  
Buckeye &c - P. Ash & Spice

N. 5<sup>th</sup> On E. Boundary of Sec. 25

6.50 a Road 11 E. & S. W.

21.95 a Sugar 8 in. diam.

39.90 Bed of a Stream 15 lks. wide co. West of

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a W. Oak 8 in. diam. B. N. 30 E. 23 lks. x

an Elm 15 " " " 29 N. 47 "

51.50 a Road E. & W.

62.35 a Sugar 8 in. diam.

80.00 Set post Co. to Sec. 24 & 25 p. wh.

a Beech 10 in. diam. B. N. 57 N. 82 lks. x

an Elm 12 " " " 14 N. 50 "

Land Level rich firm rate -  
Elm, Sugar, Lym. Spruce, W. & B. Oak,  
Maple, Beech &c. Sycamore, B. Walnut &c.  
P. Ash & Spice

N. 5<sup>th</sup> On E. Boundary of Sec. 24

24.45 a Sugar 18 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 6 in. diam. B. N. 43 E. 32 lks.

an Iron. 6 " " " 43 N. 48 "

60.75 a do 6 " "

70.00 Bed of Stream 10 lks. wide co. West of  
and into Windface E. & W.

80.00 Set post Co. to Sec. 13 & 24 p. wh.

a Beech 15 in. diam. B. N. 60 N. 54 lks.

a do 12 " " " 63 N. 45 "

Land gently rolling firm rate  
clay soil - Beech, W. B. Oak, Sugar, Elm, W. Ash, Lym.,  
Buckeye &c - P. Ash & Spice - Old

T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana  
ch. lks

Windfall grown up with Briars

- N. 5<sup>th</sup> On E. Boundary of Sec. 13.  
 10.50 Enter Cornfield Ex. N. on E. side  
 15.00 Leave do  
 27.28 a Beech 10 in. diam.  
 40.00 Set 2<sup>nd</sup> Sec. just from  
 a Sugar 12 in. diam. to S. 3<sup>rd</sup> N. 46 lks.  
 an Elm 8 " " " 174 N. 72 "  
 59.00 a Trail N. N. W.  
 60.50 Ascend Bank 10 feet Leave Windfall Ex. W.  
 61.00 a Stream 40 lks. wide call N. W. rapids  
 and shallow, gravelly Bottom  
 70.50 a Maple 10 in. diam.  
 75.00 Ascend Bank 20 feet to Creek Bottom, Ex. W.  
 80.00 Set just Cor. to Sec. 12 & 13 p. wh.  
 a Buckeye 12 in. diam. to N. 79 W. 27 lks.  
 a B. Oak 10 " " " 164 W. 20 "  
 Land Sure rich, Old Windfall  
 grown up with small growth of Beech  
 Elm Ironwood & white Birch  
 Grape Vines, P. Ash & Thorn

- N. 5<sup>th</sup> On E. Boundary of Sec. 12  
 12.50 a Road Ex. W.  
 18.76 an Elm 12 in. diam.  
 40.00 Set 2<sup>nd</sup> Sec. just from wh.  
 a Beech 8 in. diam. to N. 23 W. 34 lks.  
 a do 12 " " " 125 E. 7 "  
 58.37 a Whitewash 10 " "  
 80.00 Set just Cor. to Sec. 11 & 12 p. wh.  
 a Beech 8 in. diam. to N. 50 W. 29 lks. &  
 a do 12 " " " 175 W. 23 "  
 Land Sure rich fine red Bank  
 Sugar, Syc. Hickory, W. Ash, Oak, W. Wood Ironwood  
 & P. Ash & Spice



T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana.

ch. lks.

N. 5<sup>th</sup> On E. Boundary of Sec. 1.

18.60 a M. Oak 18 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a B. Oak 8 in. diam. to S. 8 E. 23 lks.

a B. Ash 6 " " " N. 46 W. 20 "

50.65 a Beech 10 " "

65.50 a Trail Ex. W. Enter Low Land Ex. W.

76.10 Intersected at Town Corner as  
principally established.

Sec. N. Boundary from Nitropo-

Land here rich first rate,

Saw part rather wet - W. B. Ash. Elm

Lynn. Sycamore. Birch Sugar. Ironw.

Hickory &amp;c. Nov. 1, 1846.

## North Boundary.

Var. 4° 20' E.

189.50 On S. Boundary of Sec. 31 T. 26 N. R. 5 E.

9.50 Bed of Stream 10 lks. wide ce. Southw.

18.90 a Beech 12 in. diam.

19.00 Bed of Stream 15 lks. wide ce. Southw.

20.30 Enter field N. 9. 200 x 400 S.

29.00 Leave Field N. 9.

33.90 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 18 in. diam. to S. 84 W. 27 lks.

a W. Beech 6 " " " N. 39 E. 30 "

35.00 a Road N. 9.

38.00 a Stream 8 lks. wide ce. Southw.

58.90 a Buckeye 10 in. diam.

65.00 Enter field N. 9. 200 x 400 S.

72.75 Leave do N. 9.

73.90 Set post corner to Sec. 31 &amp; 32 p. wh.

a Beech 18 in. diam. to N. 60 E. 92 lks.

a do 12 " " " N. 11 E. 57 "

Land gently rolling firm soil  
timbered with Beech Sugar. Lynn.



T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana 105.  
Ch. No.

W. R. Oak, Sycamore, W. B. Ash,  
B. Walnut, Buckeye & - Under  
P. Ash & Spice -

- 18950 E. On S. Boundary of Sec. 32 T. 26 N. R. 5 E.  
19.50 a Stream 10 lbs. wide co. S. E.  
20.50 Enter Cornfield N. S.  
31.00 a Beech 10 in. diam.  
40.00 Set 2<sup>nd</sup> Sec. post p. u. h. (in field)  
a B. Walnut stump 10 in. diam. T. 45 N. 27 W. x  
a Beech 12 " " N. 6 E. 25 "  
46.40 Clear field N. S. extends 5.00 North and  
to the Creek South - about 10.00  
48.00 Fenimore's Saw-Mill 50 lbs. S. of Line  
48.50 to Mill Pond. Offset N. 400 to House  
Thence E. 6.50 Thence S. 400 to Line - E.  
Margin of Pond, and Creek Bottom, E. N. E.  
57.53 a W. Oak 10 in. diam.  
61.00 a Run 10 lbs. wide co. Southward  
80.00 Set post cor. to Sec. 32 & 33 p. u. h.  
a Beech 18 in. diam. P. N. 37 W. 60 lbs. x  
a Do 15 " " " N. 31 E. 65 "  
Land west of Mill Pond mostly  
clear field - rolling pin state - East  
of Mill Pond - rich Creek Bottom Buckeye,  
Elm, Lymn, Sycamore, W. B. Ash, Maple,  
Grape Vine, P. Ash, Briers &c

- 18954 E. On S. Boundary of Sec. 33 T. 26 N. R. 5 E.  
5.00 Enter field - extends about 4.00 N. 2.00 or 3.00  
South to Creek  
14.00 Clear field N. S.  
15.25 To Pipe Creek 60 lbs. wide Muddy - Mill  
Pine pits back (deep) co. W. W. along Line -  
18.00 Clear Creek - same Bank N. N. W.  
21.00 Pipe Creek 60 lbs. wide co. S. W.

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana.

chs. lks.

24.50 To Creek again 60 lks. wide ca. N.W.

36.00 To Creek again 60 " " " S.W.

38.50 Ascend 10 ft. from Creek Bottoms

46.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 10 in. diam. N. 6 E. 19 lks. dir.

a Do 10 " " " S. 25 W. 61 " "

54.50 a Do 15 " "

80.00 Set post Cor. to Sec. 33 &amp; 34 p. wh.

a Beech 15 in. diam. N. 65 E. 32 lks. dir.

a Cherry 10 " " " N. 20 W. 19 "

Land first half mile Creek  
Bottoms - rich alluvial deposit - Buckeye,  
W. Beech, N. B. Ash, Butternut, Sycamore,  
Hackberry, Grape vine - Last half gently  
rolling clay soil. Beech, Sugar, Irono, B. Walnut, Elm, W. Maple.

189.50 E. On T. Boundary of Sec. 34 &amp; 26 N. R. 5 E.

1.00 Enter pile N. 4. Extends 3.00 N. 8.00 S.

19.00 Leave pile E. S. E.

23.50 a Hickory 10 in. diam.

34.80 Pipe Creek 80 lks. wide ca. N. N. W.

Rapid &amp; shallow, gravelly Bottom

37.00 Enter pile E. S. E.

46.00 Set 2<sup>nd</sup> Sec. post p. wh. (in pile)

a Buckeye 12 in. diam. N. 84 W. 41 lks. dir.

a Sugar 18 " " " N. 69 E. 139 "

42.00 Leave pile N. 4. Extends 6.00 -

59.00 a Stream 10 lks. wide ca. Southw.

59.53 a W. Oak 12 in. diam.

65.50 Enter Wheat pile N. 4. Extends 2.00 N.

71.50 Leave Do N. 4.

80.00 Set post Cor. to Sec. 34 &amp; 35 p. wh.

a Beech 18 in. diam. N. 37 W. 41 lks. dir.

a Do 15 " " " N. 4 E. 6 "

Land gently rolling fine soil -  
Beech, Sugar, Irono, Elm, Sycam. N. B. R.  
Oak, Buckeye, Hickory, P. Ash, Spruce -

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana. 107.

chs. 1/2

N. 89.50 E. On S. Boundary of Sec. 35 T. 26 N. R. 5 E.

22.30 a W. Oak 12 in. diam.

23.00 Enter field N. & E. extends 3.00 N. & 5.00 S.

29.00 Leave L. N. & S.

40.00 Set 2<sup>nd</sup> Sec. from p. wh.

a Beech 15 in. diam. N. 54 W. 50 lbs. x

a L. 10 " " " S. 15 E. 30 "

57.53 a Hickory 12 " "

80.00 Set from Cor. to Sec. 35 x 36 p. wh.

an Elm 15 in. diam. N. 38 W. 47 lbs. x

a Beech 12 " " " N. 64 E. 28 "

Land gently rolling fine rate  
Clay soil - Beech, B. Walnut, Sugar-  
Ironwood, Whitewood, Gum, Hickory  
W. R. Oak &c.

N. 89.50 E. On S. Boundary of Sec. 36 T. 26 N. R. 5 E.

24.25 a B. Oak 24 in. diam.

33.00 Enter Swampy Pond N. & S.

39.50 Leave L. N. E. & S. W.

40.00 Set 2<sup>nd</sup> Sec. from p. wh.

an Elm 18 in. diam. N. 53 E. 15 lbs. x

a W. Ash 8 " " " S. 30 W. 21 "

45.50 a Road N. E. & S. W.

62.75 an Elm 14 in. diam. and Enter  
Low B. Ash Land N. & S.

80.00 Set from Cor. to Towns 25 x 26 North.  
Ranges 5 & 6 East.

Intersected 3.22 S. of Temp. Cor. p. wh.

a W. Oak 15 in. diam. N. 14 W. 49 lbs. x

a B. Ash 10 " " " S. 74 E. 31 lbs. "

Land Soil rather wet, in wet  
seasons. fine rate - Beech, Sugar, B.  
Ash, Elm, Ironw. W. R. Oak, Maple,  
Some P. Ash & Spruce - Oct. 21. 1846

T25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana.

ch. lks.

## West Boundary.

North On E. Boundary of Sec. 36 T25 N. R. 4 E.  
 25.30 a Beech 12 in. diam.  
 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Beech 15 in. diam. to N. 40 W. 25 lks.  
 a Do 12 " " " N. 33 E. 46 "

59.30 a Do 12 " "  
 80.00 Set post Cor. to Sec. 25 & 36 p. wh.  
 a Sugar 15 in. diam. to N. 45 W. 7 lks.  
 a Beech 12 " " " N. 44 W. 54 "

Land Level fine rate. Timber  
 Beech. Sugar. Sycamore. Sym. W.  
 Wood. B. Walnut. Ironb. & Hop. Oak.  
 W. B. p. P. Ash & Spice

North On E. Boundary of Sec. 25 T25 N. R. 4 E.  
 6.00 S. W. Cor. of small pile  
 19.00 Road from Marion to Lifford Ex. W.  
 19.50 Enter pile Ex. W. about 5.00 each way  
 23.75 Leave Do  
 25.00 Dry Bed of Stream 25 lks. wide co. West by  
 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Beech 15 in. diam. to S. 54 W. 40 lks. x  
 a Do 8 " " " N. 54 E. 24 "

53.70 a Do 12 " "  
 80.00 Set Set post Cor. to Sec. 24 & 25 p. wh.  
 a Beech 15 in. diam. to S. 6 W. 44 lks. do.  
 a Do 18 " " " N. 7 W. 46 " "

Land Level fine rate. Clay Soil.  
 Timber with W. B. Ash. W. p. B. Oak.  
 Sugar. Sym. Ironb. W. Wood. B.  
 Walnut. Hickory, Spice & P. Ash—

North On E. Boundary of Sec. 24 T25 N. R. 4 E.  
 18.17 a Beech 12 in. diam.



T25. N. R. 5 E. 2<sup>nd</sup> Mer. Indiana. 109.

Chs. lks.

20.00 Enter E. side of field Ex W. extending to the West 8.60

24.00 Leave do Ex W.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a Beech 10 in. diam. B. 43 E. 58 lks. x  
a do 8 " " " N. 8 W. 5 "

44.50 Bed of Stream 10 lks. wide co. Westing

57.11 a W. Oak 12 in. diam.

74.00 Enter Low Land Ex W.

80.00 Set post Com. to Sec 13 & 24 p. wh.  
a W. Ash 16 in. diam. B. 49 W. 38 lks.  
an Elm 12 " " " 45 W. 28 "

Land Soil firm rate Clay soil  
Beech, Elm, Sugar, Ironb. B. Walnut,  
Gum, Hickory, Buckeye, Maple, W. &  
B. Ash, Oak, White Wood, &c. - Ind & th.  
Spice & P. Ash - Oct. 30. 1846.

North On E. Boundary of Sec. 13. T25 N. R. 4 E.

10.00 Leave Low wet Land Ex W.

22.80 a W. Ash 8 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a W. Ash 6 in. diam. B. 43 W. 5 lks. do.  
a do 6 " " " 49 E. 11 " "

64.65 a do 10 " "

80.00 Set post Com. to Sec 12 & 13 p. wh.  
a Beech 8 in. diam. B. 62 W. 21 lks. x  
a Sugar 20 " " " 23 W. 25 "

Land Soil firm rate clay  
Soil - W. B. Ash, Elm, Gum, W. & R. Oak,  
Beech, Sugar, Ironb. W. Wood, B. Walnut,  
Hickory - Spice & P. Ash

North On E. Boundary of Sec. 12. T25 N. R. 4 E.

9.00 Long Bed of Stream 10 co. Westing

17.64 a W. Oak 14 in. diam.



T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana.

ch. lks.

- 40.00 1st 2<sup>nd</sup> Sec. post p. wh.  
 a Beech 10 in. diam. b. 5 N. 37 W. x  
 a Do 10 " " " N 64 E. 22 "  
 52.50 a Road E. & W.  
 59.40 an Elm 26 in. diam.  
 60.00 a Stream 10 lks. wide ca. West  
 80.00 1st post Cor. to Sec. 1 & 12 p. wh.  
 a Beech 10 in. diam. b. 5 N. 46 W. lks.  
 a Do 12 " " " N 27 W. 62 "

Land gently rolling good second  
 rate clay soil - Beech, Sugar, W. & B. Oak  
 Elm, Gum, Ironwood, P. Ash, & Spruce -

---

North On E. Boundary of Sec. 1. T. 25 N. R. 4 E.

- 24.80 a Buckeye 8 in. diam.  
 28.50 a Road N. W. & S. E.  
 40.00 1st 2<sup>nd</sup> Sec. post p. wh.  
 a Beech 10 in. diam. b. 5 N. 45 W. lks.  
 a Do 12 " " " N 44 W. 53 "  
 55.00 To pipe Creek 60 lks. wide ca. S. by W.  
 61.50 Clear Creek  
 65.50 an Elm 8 in. diam.  
 71.00 a Road N. W. & S. E.  
 75.50 To Town Cor. as previously established p. wh.  
 a Beech 12 in. diam. b. 5 N. 39 E. 50 lks.  
 a Do 30 " " " N 26 W. 24 "

Land rolling fine rate -  
 Beech, Sugar, Buckeye, Gum, W. & B.  
 Oak, Ironwood, P. Ash, & Spruce

Surveyed in 1846 by

John Mullitt  
 Depy. Surveyor.

---

Subdivision

Var. 4° 10' E.

North Between Sections 35 & 36.

# 111.

## T 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana

ch. lks.

1.00	Lean Pond
20.00	a Road runs East
22.60	a Beech 14 in diam
34.50	a Hickory 12 " "
40.00	S&L 2 <sup>nd</sup> Sec. part from wh.
	an S. Oak 6 in diam. to 160 ft. E. 19 lks. &
	a W. Elm 18 " " " N. 27 W. 20 "
56.22	a Poplar 12 " "
62.10	a Beech 20 " "
78.50	State Road from Appleton to Marion & W.
80.00	Established Co. to Secs. 25, 26, 35, & 36 part.
	a Hickory 12 in. diam. to 180 ft. W. 40 lks. &
	a Beech 8 " " " N. 10 E. 48 "
Land first 100 Poor poor	
Last 79.00 Low Second rate Timber	
W. Oak, Poplar, Gum, Elm, & Beech. —	
Undergrowth. Spice, P. Oak, & Beech	

N 89 40 E. On Random Bitter Sec. 25 & 36.

Variation 4.30 East

.50	South part of Cable Martins new
	Improvement, contains 5 Acres & Log Cabin
7.00	Lean improvement
40.00	S&L Temp. part
46.50	Poplars Clearing
51.00	Lean do
66.00	a Road runs N. E.
79.50	Intimated E. Boundary 40 lks. N. of part
Land this 79.50 Low Second	
rate Timber W. Oak, Gum, Sugar,	
Hickory & Beech — Thick Undergrowth	
of Spice, P. Oak, & Beech	

N 89.57 W. Established line Bitter Sec. 25 & 36

14.39	a Beech 12 in. diam.
35.06	a do 12 " "

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana

do. lks.

- 39.75 Set 2<sup>nd</sup> Sec. just fr. wh.  
 a Sugar 20 in. diam. to N 67 E. 31 lks. N  
 an Iron? 8 " " " 20 1/2 E. 17 "  
 51.16 a W. Oak 20 " "  
 64.71 a Beech 20 " "  
 79.50 to Sec. Cor.

North Between Sections 25 &amp; 26 Var. 410 E.

- 5.00 East 50 lks. N.W. Cor. of Clearing  
 6.50 a Beech 14 in. diam.  
 18.54 a Hickory 12 " "  
 29.09 a G. Ash 18 " "  
 32.00 a Willow Pond near E. W.  
 36.00 Clear No  
 40.10 Set 2<sup>nd</sup> Sec. just fr. wh.  
 a Sugar 12 in. diam. to N 86 W. 24 lks.  
 a Beech 12 " " " N 84 E. 23 "  
 44.61 a Hickory 24 " "  
 55.53 a W. Oak 40 " "  
 63.00 a Beech 18 " "  
 70.00 an Ash & Elm. Sup. Extends N. E.  
 74.00 Clear Swamp  
 80.00 Established Cor. to Secs. 23, 24, 25, 26 p. wh.  
 a Sugar 20 in. diam. to N 4 E. 25 lks.  
 a No 18 " " " N 43 E. 33 "

Land Soil Separate

Timber W. Oak, Hickory, Sugar, Elm,  
Ash, Poplar & Beech.Land in Swamp & Ponds poor - Timber  
G. Ash, Elm & Maple. - Thick Undergrowth  
on dry Land, of Spice P. Oak, Ironwood,  
and Beech.

N. 89 5/8 E. On Random Between Secs. 24 &amp; 25

Variation 4° 30' East

- 31.50 a Willow Swamp

113.

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana.

Chs. lks.

39.00 Lean Swamp  
 40.00 Set Temp. post  
 61.50 a Road Bars N. E.  
 76.00 a Willow Pond  
 78.00 Lean Do  
 79.50 Intermittent E. Boundary 5 lks. N. of post  
 Land from 31.50 gently rolling  
 first rate. Timber W. Oak Sugar. Poplar.  
 Elm & Beech. - Next 8.00 Swamp poor  
 Last 39.50 except Swamp. Soil second  
 rate. Timber W. Oak, Elm & Beech. - Thick  
 Undergrowth of Spice. P. Ash & Beech.

---

189.54 W. Established Line Betw. Secs. 24 & 25  
 14.36 a Beech 12 in. diam.  
 31.04 a Gum 30 " "  
 39.75 Set 2<sup>nd</sup> Sec. post for wh.  
 a Beech 12 in. diam. to N 21 W. 21 lks.  
 a Hickory 8 " " " N 42 E. 31 "  
 65.15 a Beech 12 " "  
 79.50 to Sec. Cor.

---

North Between Sections 23 & 24 Var. 4.10' E.  
 11.29 a Poplar 36 in. diam.  
 28.31 a Beech 12 " "  
 35.00 a Branch 6 lks. wide co. S. E.  
 40.00 Set 2<sup>nd</sup> Sec. post for wh.  
 a Beech. 8 in. diam. to N 83 W. 21 lks. X  
 a Do 10 " " " N 42 E. 14 "  
 53.56 a Do 14 " "  
 73.92 a W. Oak 24 " "  
 79.00 Ascend to Low Swamp, Land 10 feet  
 Elevation 80'.  
 80.00 Established Cor. to Secs. 13, 14, 23 & 24 for wh.  
 a Poplar 18 in. diam. to S 59 E. 16 lks. dis.  
 a S. Elm - " " " N 48 W. 5 " "



25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana  
ch. lks.

Land from 79.00 gently rolling  
first rate - Timber W. Oak, Sugar,  
Poplar, Walnut, Buckeye, & Beech.  
Last 1.00 Swampy - Undergrowth,  
Spice, Sumac & Beech, scattering

East On Random Betw<sup>th</sup> Sec. 13 & 24

Variation 4.30' East

11.50 a Branch 6 lks. wide co. N. W. and  
Iron Ore bed

12.00 Ascent of Hill 12 feet Elev<sup>d</sup> 60°

22.00 Old Windfall bears N. 4° E.

46.00 Set Temp<sup>y</sup> pole

65.00 Leave Windfall

69.00 a Branch 4 lks. wide co. North

79.55 Intersected E. Boundary, 5 lks. S. of pole

Land first 12.00 Marshy,  
bottom land - Timber S. Ash, Elm, Hack-  
berry & Buckeye. Last gently  
rolling second rate - Timber scattering  
on the part where the Windfall crossed.  
Wal<sup>l</sup> W. Oak, Sugar, & Beech, Undergrowth,  
Spice, Beech - in Windfall, Brakes  
and Hazel - April 23<sup>rd</sup> 1847

89.56 1/2 Established Line Betw<sup>th</sup> Sec. 13 & 24

20.18 a Beech 6 in. diam.

31.00 a Sugar 4 " "

39.77 Set 2<sup>nd</sup> Sec. pole p. wh.

a W. Oak 24 in. diam. E. 1896, 61 lks.

a Beech 12 " " " 138 p. W. 23 "

65.15 a do 18 " "

79.55 to Sec. Cor

N. 10<sup>th</sup> Between Sections 13 & 14 Var. 4.30' E.

8.50 Honey Creek 30 lks. wide co. 139 E.



115.

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana.  
chs. lks

Low Bank Slow Current  
 5.00 Ascent 10 feet, Elev<sup>n</sup>. 80°  
 18.00 Chap. Comforts improvement, contains  
 14 Acres, and Log Cabin  
 25.00 Clear improvement  
 30.00 a Gradual descent  
 31.00 Honey Creek 50 lks. wide course S. W.  
 Low Banks, Slow Current  
 39.00 Ascent 15 feet - Elev<sup>n</sup>. 45°  
 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Sugar 14 in. diam. b. 38 W. 23 lks.  
 a Ho 20 " " " 36 E. 34 "  
 42.00 First rate Land  
 46.00 a Walnut 30 in. diam.  
 57.87 a Sugar 18 " "  
 62.50 a Road across N. W.  
 63.00 a Beech 12 in. diam.  
 80.00 Established Cor. to Sec. 11, 12, 13, 14 p. wh.  
 a Sugar 24 in. diam. b. N. 23 E. 29 lks.  
 a Beech 18 " " " 27 W. 57 "  
 Land first 5.00 Low Bottom  
 rich soil - Next 25.00 Low up Land  
 Second rate - Next 14 Low Bottom first  
 rate soil. Next 3.00 Second rate -  
 Last 38.00 rolling first rate - Timber  
 on Second rate upland - W. Oak, Sugar,  
 Beech & Elm. - On the first rate  
 Upland W. Oak, Walnut, Poplar, Buck-  
 eye, & Beech - Timber in Bottom, Buckeye,  
 Hackberry, Walnut & Ash - Under the  
 Spice & Beech, Scattering

---

N. 89.58 E. On Wandon Well<sup>n</sup>. Sec. 12 x 13

Variation 4.30 East

10.00 Ascent 6 feet, Elev<sup>n</sup>. 30° to Bottom Land  
 19.25 Pipe Creek co. N. W. Banks 8 feet

116.

1/25 N. N. 5 E. 2<sup>nd</sup> Mer. Indiana.

chs. lks.

high - slow current

20.50 Leave Pipe Creek

38.00 a Road bears N 80 W.

40.00 Set Temp. post

54.50 a Branch 4 lks. wide co. S. W.

59.00 a Road bears N. E.

62.50 West Side of J. A. Calkins improvement.

Line passes through Center of 20.

65.00 Swelling House - Log Cabin

73.00 Leave Improvement

79.61 Intersected E. Boundary 70 lks. N. of post

Land first 1000 Acre on a  
rate. Next 9.55 Bottom Land rich soil.  
Last 60.36 Acre upland first rate.  
Timber W. Oak, Sugar, Poplar, Walnut,  
G. Ash, & Beech. Timber on Bottom Land  
Sugar, Elm, Hackberry, Buckeye & Beech.  
Mudgum, Spice & Beech, scattering

188.28 W. Established Line Betw. Sec. 12 &amp; 13

3.50 a Beech 20 in. diam.

19.22 a Do 20 " "

34.81 a W. Oak 24 " "

39.80 Set 2<sup>nd</sup> Sec. post p. n. h.

a W. Oak 36 in. diam. 1/4 E. 1/4 Sec. 14

a Beech 14 " " 1/4 E. 1/4 Sec. 15

30.10 a G. Ash 12 " "

79.61 to Sec. Cor.

N. 30 W. Between Sections 11 &amp; 12 Var. 4° 10' E.

10.00 Pass E. end of 5th Creek improvement  
Contains 5 Acres12.00 Pipe Creek co. N. 30 W. Banks low  
Slow Current

14.50 Leave Pipe Creek

15.60 a Hickory 12 in. diam.

# 117.

## T25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana

dis. lks.

- 22.50 Pipe Creek again co. N20E.  
 23.50 Leave Do - slow current  
 30.50 Pipe Creek again co. N.W.  
 \* 40.00 Set 2<sup>nd</sup> Sec. spot p. wh.  
     a Walnut 40 in. diam. B. N85W. 48 lks.  
     a Beech 20 " " " S62E. 40 "  
 53.50 a Branch 6 lks. wide co. N.W.  
 61.50 a Sugar 18 in. diam.  
 68.27 a Beech 12 " "  
 80.00 Established Cor. to Sec 1, 2, 11, 12 p. wh.  
     a W. Oak. 50 in. diam. B. N73W. 8 lks.  
     a Sugar 12 " " " S36E. 20 "  
     Land first 31.50 land good  
     second rate - Timber W. Oak, H. Ash,  
     Poplar & Beech. Last 42.00 second  
     rate - Timber G. Ash, Sugar, Hickory,  
     and Beech.

- 
- 88.28 On Random Betw. Sec 1 & 12 Var. 430E.  
 33.00 a Road barrow N.W.  
 40.00 Set Temp. post.  
 80.00 Intersected E. Boundary at post  
     Land first 60.00 land 2<sup>nd</sup> rate  
     - Last 20.00 gently rolling good  
     second rate - Timber throughout W. Oak,  
     Hickory & Beech. Ungh. Spruce, Spruce?  
     and H. Ash scattering

- 
- 88.28W. Established Line Betw. Sec. 1 & 12  
 10.18 a Hickory 12 in. diam.  
 30.50 a Beech 20 " "  
 40.00 Set 2<sup>nd</sup> Sec. spot p. wh.  
     a Beech 24 in. diam. B. N84W. 25 lks.  
     a Spruce 6 " " " S76E. 21 "  
 49.71 a W. Oak 18 " "  
 \* (31.50 Leave Creek N. Bank 12 feet high.)

# T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

chw. lks.

60.30 a Hickory 18 in. diam.  
71.02 a Beech 12 " "  
80.10 to Sec. Cor.

N. 20<sup>th</sup> Between Sections 1 & 2 Var. 4. 10' E.

28.50 a Branch 6 lks. wide co. West.

29.00 Rolling firm rate Land

40.00 Set Temp. post

43.00 a Road cross N. E.

64.00 a Willow Pond cross E. & W.

69.00 Leave L<sup>o</sup>

74.59 Intersected N. Boundary 10 lks. N. of post

Land firm 29.00 Sure Second  
rate Timber W. Oak, Hickory, Beech.  
N. E. L. 35.59 rolling firm rate Timber  
W. Oak, Poplar, Walnut, Buckeye, Sugar  
& Beech. Willow Pond poor. Set  
5.59 Sure Second rate Timber W. Oak,  
Poplar, & Beech. April 24, 1847.

L. 10' E. Established Line Bet<sup>h</sup> Sec. 1 & 2.

a Hickory 8 in. diam. N. E. 10 lks. dis.

a G. Ash 8 " " " " 64 " "

19.13 a Beech 12 " "

30.18 a Sugar 20 " "

34.59 Set 2<sup>nd</sup> Sec. post p. 20 h.

a Beech 18 in. diam. N. E. 18 lks. dis.

a L<sup>o</sup> 8 " " " S. 3 W. 39 "

54.37 a L<sup>o</sup> 20 " "

74.59 to Sec. Cor.

North Between Sections 34 & 35 Var. 4. 10' E.

3.50 a Road cross N. 20 E.

18.75 a Beech 18 in. diam.

27.75 a Sycamore 24 " "

40.70 Set 2<sup>nd</sup> Sec. post p. 20 h.



125. V. R. S. E. 2<sup>nd</sup> Mer. Indiana 119.  
 clo. 112.

a Beech 12 in. diam. to N 37 E 7 lbs. av.  
 a G. Ash 12 " " " N 21 W 30 " "  
 46.90 a Lymn 30 " "  
 74.15 a Do 18 " "  
 76.15 a Beech 24 " "  
 80.00 Established Cor. to Sec. 26, 27, 34, 35 p. wh.  
 a Beech 12 in. diam. to N 39 W 30 lbs.  
 a Do 12 " " S 72 E 37 "

Land this Sec. has good  
 second rate timber W. Oak, G. Ash, Elm,  
 Poplar, Lymn, & Beech. Thick undergrowth  
 of Spice, Iron & Beech

---

N 89.40 E. On Random Btch 2 Secs 26 & 35. Var. 4.30 E.  
 12.00 a Road bears N. & S.  
 14.50 Honey Creek 30 lbs. wide e. North  
 40.00 Gel Temp. just  
 40.25 a Willow Pond  
 44.00 Clear Pond to the N. E.  
 59.00 State Road from Delphi to Marion 480 E.  
 70.00 Clear State Road  
 79.57 Intersection N. & S. Line 20 lbs. S. of pond  
 Land this 79.57 has second  
 rate timber W. Oak, W. Elm, Sugar,  
 Poplar, G. Ash, & Beech. Thick undergrowth  
 of Spice and Beech.

---

N 89.32 W. Established Line Btch 4 Secs. 26 & 35  
 9.63 a Beech 18 in. diam.  
 35.07 a Sugar 12 " "  
 39.78 Gel 2<sup>nd</sup> Sec. just p. wh.  
 a Beech 12 in. diam. to N 67 W 26 lbs. &  
 an G. Ash 10 " " S 39 E 28 "  
 64.23 a Lymn 20 " "  
 79.57 to Sec. Cor.

---



120. S 25 N. R 5 E. 2<sup>nd</sup> Mer. Indiana.  
ch. lks.

North Between Sections 26 & 27 Var. 4° 10' E.  
3.50 State Road from Delphi to Marion  
bars 4.85 E.

15.55 a Sugar 12 in. diam.

16.00 a Road bars 4.80 E.

20.00 a Creek 30 ft. wide co. N.W. low  
Banks - slow current

29.19 a Beech 20 in. diam.

40.00 Set 2<sup>nd</sup> Sec. just sp. wh.

a W. Oak 18 in. diam. 6° S 1 E. 50 lks.

a Beech 18 " " " N 44 W. 26 "

52.46 a Hickory 18 " "

61.50 a Poplar 18 " "

80.00 Established Cort. Sec. 22, 23, 26, 27 h. wh.

a Beech 18 in. diam. 6° N 43 E. 27 lks.

a Loc 12 " " " S 20 W. 45 "

Land firm 4000 Lumber Second  
rate - Timber W. Oak, W. Elm, Poplar,  
Lynn, & Beech. Last 4000 gently  
rolling firm rate - Timber W. Oak, Sugar,  
Walnut, Buckeye, Poplar, & Beech.

Thick undergrowth of Beech & Spice / maple.

---

N 89° 30' E. On Random Betw. Sec. 23 & 26

Variation 4° 30' East

17.50 a Branch 3 ft. wide co. North

40.00 Set 2<sup>nd</sup> Sec. just

44.50 a Branch 4 ft. wide co. North

79.75 Interrupted by line at post

Land firm for gently rolling  
firm rate - Timber W. Oak, Sugar, G. Ash,  
Poplar, Walnut, Buckeye, & Beech.

Last 9.75 Lumber Second rate - Timber  
W. Oak, G. Ash, Sugar, Hickory  
and Beech.

---

121.

T. S. N. R. & Co. 2<sup>nd</sup> Mer. Indiana.

Ch. 1<sup>st</sup>

189.30<sup>W</sup> Established Line Between Sec. 23 & 26

10.31 a Gum 20 in. diam.

15.05 a Beech 12 " "

20.71 a Hickory 18 " "

39.87 Set 2<sup>nd</sup> Sec. from p. wh.

a Beech 10 in. diam. to N. 36<sup>W</sup> 17<sup>W</sup> 1<sup>st</sup> Sec.

a Do 10 " " " N. 46<sup>E</sup> 29 "

39.81 a B. Ash 30 " "

64.92 a Walnut 18 " "

79.75 to Sec. Co.

North Between Section 22 & 23 Var. 4.10' East

9.00 Honey Creek 25<sup>th</sup> k. wide co. N.E. Low  
Banks rapid current

15.00 H. Elm 20 in. diam.

19.00 Noah Thomas improvement & clearing  
and Log Cabin & of Line

28.00 Clear Improvement

28.81 a Sugar 18 in. diam.

40.00 Set 2<sup>nd</sup> Sec. from p. wh.

a Sugar 18 in. diam. to N. 36<sup>W</sup> 20<sup>th</sup> k.

a Beech 8 " " " N. 19<sup>E</sup> 30 "

56.00 a Do 18 " "

65.16 a W. Elm 24 " "

74.33 a Sugar 30 " "

80.00 Established Co. to Sec. 14, 15, 22, 23 p. wh.

a Beech 14 in. diam. to N. 49<sup>E</sup> 61<sup>th</sup> k.

a G. Ash 20 " " " S. 18<sup>W</sup> 7 "

Land first 40.00 Line first  
rate - Timber W. Oak, Sugar, Poplar,  
Walnut, G. Ash, & Beech. Last 40.00 Line

Second rate - Timber W. Oak, Sugar, Hickory,  
G. Ash, W. Elm, & Beech

Unaghty Spice, Ironwood  
and Beech. Scattering

125 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana,  
Chs. 162

189.30' E. On Random But<sup>h</sup> Sec. 14 & 23

Variation 4.30' E.

21.60 Intersected South End of M. J. Pierson's  
improvement contains 20 Acres

32.00 Clear Improvement.

40.00 Set Term. 1/2, per

48.50 a Road bears N. 20 E.

57.50 Honey Creek 30<sup>th</sup> wide co. North.  
Banks 6 feet high - slow current

62.00 Ascent of Hill 15 feet - Elev<sup>n</sup> 415'

76.50 Descent 10 feet, Elev<sup>n</sup> 30' to Marshy Land.

79.25 Intersected M. J. Line at per

Land Sec<sup>on</sup> a rate Timber  
W. Oak, Sugar, Lym. Beech, Ironw<sup>o</sup>,  
and Hickory, Magn<sup>o</sup>l. Spic<sup>o</sup>, Ironw<sup>o</sup>,  
and Beech.

189.30' E. Established Line But<sup>h</sup> Sec. 14 & 23

20.70 a Beech 24 in. diam.

34.14 a Sugar 12 " "

39.62 Set 2<sup>nd</sup> Sec. per path.

a Beech 14 in. diam. to N. 20 E. 14<sup>th</sup> Sec.

a Do 14 " " S. 58<sup>th</sup> W. 36<sup>th</sup>.

59.81 Sugar 20 " "

70.50 a Beech 12 " "

79.25 to Sec. Cor.

N. 30<sup>th</sup> W. Between Sections 14 & 15 Var. 4.10' E.

1.50 Herald Thomas improvement, clearing  
and Log Cabin E. of Line

5.00 Clear Clearing

6.00 Old Windfall bears East

27.00 Clear Do

37.65 a Beech 8 in. diam.

40.00 Set 2<sup>nd</sup> Sec. per path.

a Beech 14 in. diam. to N. 39<sup>th</sup> W. 26<sup>th</sup> Sec.

T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana 123.

chs. lbs.

- a Beech 12 in. diam. E. N. 28 E. 33 lbs. x  
 40.10 a Branch 4 lbs. wide co. N. E.  
 56.18 a Beech 24 in. diam.  
 77.60 a W. Oak 36 "  
 80.00 Established Co. to Sec 10, 11, 14, 15 pr. wh.  
 a Beech 12 in. diam. E. N. 28 E. 33 lbs. x  
 a & Ash " " " N. 3 E. 24 "

Land this 5.00 per acre  
 rate Timber W. Oak, Hickory, Sugar,  
 & Ash, Lym., & Beech. Undergrowth,  
 Spice, Hornb., & Beech. Scattering

189.30 E. a Random Pit to Sec 11 & 14 Var. 4.30 E.

33.50 a Road trans North

40.10 Set Temp. for

43.10 W. Side of Rott. Cocks improvement  
 Line passes through Center

52.50 Clear Improvement

56.00 Honey Creek 30 lbs. wide co. North  
 Banks 6 ft high - slow current

62.00 a Gradual Ascent of Land Elev. 30°

63.00 Summit

73.00 a Road trans N. & S.

79.00 Interrupted Section Line at for

Land firm 62.00 per acre  
 rate Timber W. Oak, Sugar, Lym.,  
 Hickory, & Beech. - Last 17.00 gently  
 rolling firm rate - Timber W. Oak & Ash,  
 Poplar, Walnut, Sugar & Beech. Undergrowth  
 throughout, Spice & Beech. Scattering

189.30 E. Established Line Pit to Sec 11 & 14

15.10 a Beech 18 in. diam.

25.00 a Lym. 12 " "

39.50 Set Dr. Sec. for pr. wh.

a Sugar 18 in. diam. E. N. 28 E. 33 lbs. diam.



124. S 25 N. R. 5 E. 2<sup>nd</sup> Mex. Indiana.  
do. lbs

a Beech 18 in. diam. b. 139 W. 37 N. 1/2 E.  
54.08 a. Do 10 " "  
64.31 a. Lumn 18 " "  
79.00 to Sec. Cor.

---

1440 W. Between Sections 10 & 11. Var. 12-10' E.

10.00 a. Road bars N. W.

19.00 a. Hickory 18 in. diam.

29.63 a. Beech 30 " "

40.00 Set 2<sup>nd</sup> Sec. for p. wh.

a Beech 18 in. diam. b. 181 W. 15 N. 1/2 E.

a Do 12 " " " 169 1/2 E. 19 "

52.66 a. W. Oak 24 " "

73.40 a. Walnut 24 " "

75.00 South side of Sep. Dist. improvement  
line passes through Centre

80.00 Established Cor. to Sec. 2, 3, 10, 11, p. wh.

a Beech 24 in. diam. b. 142 1/2 W. 50 N. 1/2 E.

a G. Ash 30 " " " N. 31 W. 27 "

Leave this 80.00 line go on  
second rate timber W. Oak & G. Ash.  
Hickory, Poplar, Walnut & Beech.  
W. 1/2 W. Spruce Beech.

---

189.30 E. On Random Beta: Sec 2 & 11

Variation 4-30 East

8.50 Leave Improvement

9.00 Descent 12 feet Elev. 70'

25.50 Pipe Creek - low Banks. Slow current

\* 40.00 Set Temporary for

40.50 Ascent of Buff Bank. Elev. 80'

41.50 Summit

41.75 a. Road bar, N. & S.

42.00 N. side of Improvement belonging to  
James Mc. Kinley

(\*) 29.00 Leave Pipe Creek low Banks. Slow current

125.

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana

chs. lks.

52.00 Clear Improvement 20 Acres & Log Cabin  
 79.00 Intersected Sec. Line 10 lks. N. of post  
 Land first 32.50 Low Bottom Land rich Soil  
 Timber W. Oak, Hickory & Beech  
 Next 32.50 Low Bottom Land rich Soil  
 Timber Buckeye, Hickory, Gum, and  
 Beech. Last 37.50 Upland Land 2<sup>nd</sup>  
 rate Timber W. Oak, Poplar, Elm & Beech  
 Undergrowth Spice, Ironwood & Beech

1893 1/4 Established Line Bet<sup>h</sup> Sec. 2 & 11

9.36 a Beech 12 in. diam.  
 24.10 a Hickory 20 " "  
 39.50 Set 2<sup>nd</sup> Sec. post p. u. l.  
 a W. Beech 6 in. diam. E. N. 5/16 lks. &  
 a Hickory 12 " " " 4.83 E. 16 "  
 59.81 a Gum 20 " "  
 70.09 a Poplar 20 " "  
 79.00 to Sec. 34 Cor.

N. 1/4 W. Between Sections. 2 & 3 Var. 4<sup>th</sup> 10' E.

6.00 Clear Improvement  
 40.00 Set Temp. post  
 115.50 Pipe Creek Co. N.W.  
 46.50 Clear do  
 46.75 a Road bears N.W.  
 47.00 John Sniders Farm contains 25  
 Acres, and one Log Cabin  
 48.00 J. Smiths Wheat field  
 60.00 Clear Improvement  
 61.00 a Branch 12 lks. wide co. N.W.  
 74.25 Intersected N. Boundary 4 lks. N. of post  
 Cor. to Sec. 34 & 35 T. 26 N. R. 5 E.  
 Land this 74.25 lks. Sec. 34 rate  
 Timber W. Oak, Sugar, Poplar, Walnut  
 Hickory and Beech Undergrowth

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana  
cls. lks.

Spice from Beech - April 26, 1847

4.58 E. Established Line Betw. Sec. 2 & 3  
a Burr Oak 40 in. diam. b. 467 E. 52 lks.  
a Beech 24 " " " 439 W. 102 "  
31.18 a Buckeye 10 " "  
34.25 Set 2<sup>nd</sup> Sec. from p. wch.  
a Buckeye 14 in. diam. b. 448 E. 39 lks.  
a No. " " " 450 W. 18 "  
74.25 to Sec. Cor.

North Between Sections 33 & 34 Var. 4.10 E.  
11.90 a Hickory 18 in. diam.  
21.00 a Beech 30 " "  
29.50 South Side of New Improvement  
39.00 Leave Improvement  
40.00 Set 2<sup>nd</sup> Sec. from p. wch.  
a Blue Ash 18 in. diam. b. 475 E. 9 lks.  
a Beech 10 " " " 488 W. 18 "  
59.71 a Poplar 40 " "  
64.26 a Beech 20 " "  
80.00 Established Cor. to Sec. 27, 28, 33, & 34 p. wch.  
a W. Elm. 24 in. diam. b. 415 E. 29 lks.  
a Beech 12 " " " 426 W. 21 "

The improvement is found  
in - but not all cleared. Contains 8.  
Acres and one Log Cabin. No one  
lives on it at present.

Land this 50.00 per second  
rate - Timber W. Oak, Sugar, Hickory,  
Poplar, Elm & Beech. Thick Undergrowth  
of Spice, P. Ash & Beech.

N. 89.30 E. On Random Betw. Sec. 27 & 34 Var. 4.30 E.  
1.50 Small improvement  
5.50 Leave No

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana. <sup>127.</sup>

chs. lks.

- 11.00 a Road bears N.W. near Line of State Road  
 16.00 Road again bears N. 80 E.  
 29.00 Small Creek 20 lks. wide co. N. 7 W.  
 40.00 1st Sec. 4. 400 ft. from  
 62.00 Elm & Ash Swamp bears N.  
 68.00 Lean Swamp  
 80.00 Intersected N. 2 S. Line 50 lks. S. of here  
 Land this 80.00 L. and second  
 rate Timber W. Oak, G. Ash, Sugar,  
 Sycamore & Beech. Thick growth of Spice  
 Ground. P. Ash & Beech.

- 489.9 ft. Established Line Butte Sec. 27 & 34  
 15.31 an H. Elm 20 in. diam.  
 30.61 a Beech 18 " "  
 40.00 1st 2<sup>nd</sup> Sec. 400 ft. from  
 a G. Ash 20 in. diam. to 159 ft. N. 28 lks. &  
 a Beech 20 " " " S. 60 E. 24 "  
 55.10 a Sugar 20 " "  
 61.02 a Beech 24 " "  
 80.00 to Sec. Cor.

The State Road is not cut out  
 on line at 11.00

- North Between Section 27 & 28 Var. 410' E.  
 400 State Road from Delphi to Marion  
 bears East & West  
 20.92 a G. Ash 36 in. diam.  
 35.61 a Beech 12 " "  
 40.00 1st 2<sup>nd</sup> Sec. 400 ft. from  
 a Lym 8 in. diam. to 170 ft. N. 19 lks. &  
 a Sugar 12 " " " N. 27 E. 33 "  
 50.10 a Beech 18 " "  
 61.37 a Lym 20 " "  
 80.00 Established Cor. to Sec. 21, 22, 27, 28 p. 400 ft.  
 a Beech 6 in. diam. to 111 ft. E. 10 lks. &



T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana.  
 chs. lks.

an Iron<sup>o</sup> Indian. 1<sup>st</sup> 20<sup>th</sup> W. 17 lks.  
 Land this 8<sup>00</sup> Linc 2<sup>nd</sup>  
 rate - Timber W. Oak, Hickory, Lym,  
 W. Elm, and Beech - Thick Undergrowth  
 of Spice Iron<sup>o</sup> & Beech -

189.9' E. On Kanelan Butte Sec. 22 & 27  
 Variation 4.30' East

30.00 a Branch trail S. 60° E.

36.00 a Road bears N. E.

40.00 Set Temp. post

47.50 a Creek 30 lks. wide co. N. E.

53.50 Creek again 35 lks. wide co. East

61.00 Leave Creek to the N. E.

61.50 Gently rolling pine rate Land

79.95 Interrupted N. S. Line at post

Land first 61.00 level second  
 rate - Timber W. Oak, Sugar, Hickory,  
 Poplar & Elm. Thick Undergrowth  
 of Spice, Ironwood & Beech -

Last 18.45 gently rolling  
 pine rate - Timber W. Oak, Walnut, Sugar,  
 Poplar, Beech & Lym. Undergrowth  
 Spice & Beech, scattering

189.9' W. Established line Butte Sec. 22 & 27

20.11 a Poplar 30 in. diam.

35.00 a Lym 20 " "

39.97 1/2 Set 2<sup>nd</sup> Sec. post p. w. h.

a Beech 30 in. diam. 1<sup>st</sup> 15 1/2 E. 9 lks.

a Do 8 " " " 11.45 1/2 W. 3 " "

53.08 a Do 12 " " "

60.31 a Sugar 18 " " "

71.00 a Beech 12 " " "

79.95 to Sec. 20

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana <sup>129.</sup>

ch. lks.

North Between Sections 21 & 22 Var. 4<sup>th</sup> 10' E.

10.00 Ash & Elm Swamp bars E & W.

15.00 a Sugi. Elm 24 in. diam.

25.00 Clear Swamp

27.41 a Walnut 24 in. diam.

35.06 a Beech 12 " "

40.00 Set 2<sup>nd</sup> Section p. wh.

a Hickory 18 in. diam. to N 46 E. 22 lks.

a Beech 8 " " " N 34 E. 43 "

58.05 a Gum 12 " "

62.50 a Beech 18 " "

70.00 a Swamp and Old Windfall bars

N 10 E. - water two feet

80.00 Established Cor. to Secs. 15, 16, 21, 22 p. wh.

a Swamp Ash 8 in. diam. to N 27 W. 22 lks.

a do 6 " " " N 34 E. 13 "

Land firm 10.00 Level Second rate - Next 15.00 Swamp floor Next 15.00

Level Second rate - Last 10.00 Swamp floor

Timber on dry Land W. Oak, Hickory, and

Beech. Timber in Swamp. Ash & Elm.

Thick Undergrowth of Spice, P. Ash, & Beech.

Timber in Windfall small growth. S.

Ash, Elm, P. Ash, Alder, Gum, & Spice

N 89° E. On Ranelow Betw<sup>th</sup> Secs. 15 & 22

Variation 4° 30' East

38.00 Clear Marshy Land

40.00 Set Temp. post

58.00 Clear Windfall

80.10 Intersected N. S. Line 15 lks. N. of post

Land firm 38.00 Marshy floor

Timber small growth. S. Ash, Elm. Thick

Undergrowth of Spice, P. Ash, Alder & Briers.

Set 2 1/2 to Level Second rate - Timber

W. Oak, G. Ash, Poplar & Beech. Scattering

T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
cls. lks.

In Winelfall Underth. Spruce Beech.  
Hornwood & Hazel

189.76 Established Line Betw. Sec. 15 & 22

15.22 a Beech 20 in. diam.

30.20 a Do 18 " "

40.05 1st 2<sup>nd</sup> Sec. just p. wh.

a Poplar 40 in. diam. 1<sup>st</sup> 430.28 lks.

a Beech 8 " " 2<sup>nd</sup> 447 E. 25 "

50.63 an S. Ash 18 " "

65.18 a Maple 12 " "

80.10 to Sec. Cor.

North Between Sections 15 & 16 Var. 4.10 E.

15.00 Near Old Winelfall

18.19 a Beech 20 in. diam.

33.92 a Sugar 18 " "

40.00 1st 2<sup>nd</sup> Sec. just p. wh.

a Sugar 18 in. diam. 1<sup>st</sup> 746.39 lks.

an S. Elm 18 " " 2<sup>nd</sup> 744 E. 33 "

48.00 a Sycamore 24 " "

56.28 a Poplar 24 " "

61.73 a W. Oak 18 " "

80.00 Established Cor. to Sec. 9, 10, 15, 16 p. wh.

a Maple 10 in. diam. 1<sup>st</sup> 442 W. 12 lks.

a W. Oak 18 " " 2<sup>nd</sup> 488 E. 24 "

Land just 15.00 Swamp and

Winelfall. Third rate Timber S. Ash,

S. Elm, Alder, P. Ash. - Last 65.00

Second rate Tim. W. Oak, Beech,

Sugar, Sycam. S. Ash & Hick. - Thick

Underth. Spruce, P. Ash, Hornwood & Beech.

North 89° E. On Random Betw. Sec. 10 & 15 Var. 4.30 E.

1.50 Maple & Elm Swamp

16.00 Near Swamp

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana, 131.

Ch. Wk.

40.00 Set Temp. post  
79.50 Intermittent N. S. Line at post  
Land fine 16.00 Swamp poor  
Timber S. Ash, Elm & Maple, Last 63.50  
Lumber second rate - W. Oak, Hickory, Sugar,  
and Beech. Undergrowth Spruce, Ash,  
and Beech.

189<sup>th</sup> Established Line Between Sec. 10 & 15  
24.36 a Beech 24 in. diam.  
39.75 Set 2<sup>nd</sup> Sec. post from  
a Beech 12 in. diam. to N. 60 E. 7 lks. &  
a Lym 8 " " " N. 57 W. 16 "  
60.25 a Beech 12 " "  
70.18 a Maple 20 " "  
79.50 to Sec. Cor. April 27, 1847

N. 20 W. Between Sections 9 & 10 (Var. 4° 10' E.)  
13.50 a Beech 20 in. diam.  
21.36 a Lym 18 " "  
35.10 a Beech 12 " "  
44.00 Set 2<sup>nd</sup> Sec. post from  
a Beech 18 in. diam. to S. 82 1/2 E. 79 lks.  
a Poplar 24 " " " S. 54 W. 50 "  
44.00 a Branch 10 lks. wide cor. N. E.  
56.71 a B. Ash 12 in. diam.  
65.00 a Road bars S. E.  
71.26 a Sugar 24 in. diam.  
80.00 Established Cor. to Sec. 3, 49.10 from  
a Beech 14 in. diam. to N. 19 E. 34 lks.  
a G. Ash 18 " " " S. 47 1/2 E. 14 "  
Land this 8000 Lumber second  
rate - Timber W. Oak, Sugar, Lym, Poplar,  
Hickory & Beech. Undergrowth Spruce  
& Beech scattering



T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana  
ch. lks.N. 89° E. On Random Beta<sup>2</sup> Sec. 3 & 10

Variation 430' East

31.00 a Branch 10 lks. wide co. North

40.00 Set Temp<sup>4</sup>, post

54.00 a Branch. 6 lks. wide co. N.W.

76.50 Improvement

79.81 Intersected N. &amp; T. Line 15 lks. N. of post

Land this 79.81 had good  
second rate - Timber W. Oak, Poplar,  
Sugar, Lym, G. Ash & Beech.  
Mudgth. Spice P. Ash & Beech

S. 89° 7' W. Established Line Beta<sup>2</sup> Sec. 3 & 10

15.63 a Beech 12 in. diam.

31.00 a Lym 18 " "

39.90 Set 2<sup>nd</sup> Sec. post mark.

a Beech 12 in. diam. to S. 51° W. 20 lks.

a Lc 18 " " " N. 47° E. 13 "

50.12 a Poplar 18 " "

69.81 a Beech 24 " "

79.81 to Sec. Cor.

N. 20 W. Between Sec. 3 &amp; 4 Var. 4.10' E.

20.00 rolling Land

40.00 Set Temp<sup>4</sup>, post

66.00 a Road bears N.W.

73.40 Intersected N. Boundary. 7 lks. E. of post

Land first 20.00 had second  
rate - Last 53.40 gently rolling 2<sup>nd</sup>  
rate - Timber W. Oak, Sugar, Poplar,  
& Beech. Mudgth. Spice, Ironwood  
and Beech

S. 35° E. Established Line Beta<sup>2</sup> Sec. 3 & 4

\* 18.14 a Beech 12 in. diam. Beech 10 1/2 lks. E. 39 lks.

28.00 a Lc 20 " " } Cherry 8 1/2 lks. W. 28 "

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana.

ch. lks.

- 33.40 Set 2<sup>nd</sup> Sec. post mark.  
 a Hickory 18 in. diam. b. N. 57<sup>th</sup> E. 45 lks.  
 a Do 30 " " " N. 51<sup>st</sup> W. 44 "  
 58.71 a Sugar 18 " "  
 73.40 To Sec. Cor.

North Between Secs. 32 & 33 Var. 4<sup>th</sup> East

- 330 a Road bars S. E.  
 7.40 a Beech 18 in. diam.  
 27.13 a G. Ash 12 " "  
 32.11 a W. Oak 18 " "  
 40.00 Set 2<sup>nd</sup> Sec. post mark.  
 a Beech 20 in. diam. b. N. 34 E. 32 lks.  
 a Do 8 " " " N. 24 W. 17 "  
 60.60 a W. Oak 36 " "  
 74.00 a Willow Pond  
 78.00 Lean Do  
 80.00 Established Cor. to Secs. 28, 29, 32, 33 post.  
 a W. Oak 14 in. diam. b. S. 60<sup>th</sup> W. 26 lks.  
 an Iron w<sup>th</sup> 8 " " " N. 53 E. 13 "  
 Land Sur. Second rate Tim.  
 W. Oak, Hickory, G. Ash, Poplar & Beech.  
 Undergrowth, Spice, R. Ash, Iron w<sup>th</sup> & Beech.

N. 89<sup>th</sup> 30 E. On Random Betw<sup>th</sup> Secs. 28 & 33Variation 4<sup>th</sup> 30' East

- 40.00 Set Temp. post  
 50.00 a Branch 4 lks. wide ce. North  
 70.00 a Willow Pond  
 78.00 Lean Pond  
 79.75 Intersected N. S. Line 40 lks. S. of post  
 Land Sur. Second rate -  
 Timber W. Oak, G. Ash, Elm, Hickory,  
 Poplar & Beech - Thick Undergrowth of Spice  
 R. Ash, and Beech. Iron w<sup>th</sup>.

134.

T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

ch. 16.

189.13<sup>1</sup>/<sub>2</sub> Establish a Line Betw<sup>th</sup> Sec. 28 & 33.

19.67 a Beech 20 in. diam.

35.04 a Do 12 " "

39.87 Set 2<sup>nd</sup> Sec. post p. wh.a Sycamore 36 in. diam.  $\text{B. } 41^{\circ} 18' \text{ E. } 13^{\circ} 16' \text{ N.}$ a Poplar 36 " "  $\text{B. } 36^{\circ} \text{ E. } 2^{\circ} \text{ N.}$ 

49.81 a Do 24 " "

65.10 a Beech 30 " "

79.75 to Sec. Cor.

1.10<sup>1</sup>/<sub>2</sub> Between Sections 28 & 29  $\text{B. } 41^{\circ} 10' \text{ E.}$ 

8.12 a R. Oak 36 in. diam.

9.50 State Road from Hesper to Marion -  
 $\text{B. } 85^{\circ} \text{ E. (trans)}$ 

25.80 a Hickory 24 in. diam.

36.08 a Beech 12 " "

40.00 Set 2<sup>nd</sup> Sec. post p. wh.a G. Ash 12 in. diam.  $\text{B. } 58^{\circ} 5' \text{ E. } 5' \text{ N.}$ a Beech 10 " "  $\text{B. } 53^{\circ} 11' \text{ E. } 27' \text{ N.}$ 

50.55 a Poplar 12 " "

64.42 a W. Elm 30 " "

80.00 Establish a Cor. to Sec. 20, 21, 28, 29, p. wh.

a W. Oak 30 in. diam.  $\text{B. } 84^{\circ} 11' \text{ E. } 32' \text{ N.}$ a Beech 10 " "  $\text{B. } 77^{\circ} 4' \text{ E. } 21' \text{ N.}$ 

Land this 8000 feet square  
 rate Timber W. Oak, R. Oak, W. Elm,  
 Hickory, Poplar, & Beech. Thick  
 Undergrowth of Spice, R. Ash, Hawth. & Beech.

N. 89.13<sup>1</sup>/<sub>2</sub> E. On Random Betw<sup>th</sup> Sec. 21 & 28Variation  $4^{\circ} 30' \text{ East}$ 

31.00 a Branch Elk. wide c. North \*

40.00 Set Temp. post

80.40 Intersected N. &amp; S. line at post

\* This Branch loses itself in the  
Marsh North -

J. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana, 135.

Land Luml second rate Tim.  
W. & B. Oak, Hickory, Ironwood, Poplar &  
Beech. Thick Undergrowth of Spice,  
P. Ash & Beech.

---

489.13<sup>11</sup> Established Line Btr. 5 E 21 28  
5.20 a Beech 12 in. diam.  
20.13 a Do 20 " "  
35.01 a Lynn 20 " "  
40.20 Set 2<sup>d</sup> Sec. just from wh.  
a Beech 8 in. diam. B. 84 W. 14 lks. &  
a Do 12 " " " N. 21 E. 27 "  
119.73 a G. Ash 18 " "  
65.15 a Beech 20 " "  
80.40 to Sec. Cor.

---

North Between Sections 20 & 21 Var. 4<sup>th</sup> 10 E.  
8.72 a Beech 12 in. diam.  
23.30 a Poplar 40 " "  
31.81 a Beech 30 " "  
40.00 Set 2<sup>d</sup> Sec. just from wh.  
a Lynn 10 in. diam. B. 84 W. 4 lks.  
a G. Ash 6 " " " N. 3 E. 4 "  
45.00 a Swamp & Old Windfall trees East  
64.08 a Sycamore 20 in. diam.  
80.00 Established Cor. to Sec. 16, 17, 20 & 21, p. wh.  
a Sycamore 6 in. diam. B. 85 W. 5 lks. &  
a B. Ash 6 " " " N. 16 E. 10 "

Land for L 45.00 Luml second  
rate-Timber W. Oak, Hickory, Poplar & Beech.  
Undergrowth, Spice, P. Ash, & Beech. Last 35.00  
Marsh & Old fallen timber poor. Timber of a  
small growth, S. Ash & Elm, W. Beech, Sycamore &  
Ironw. - Undergrowth, P. Ash, Willow, Alder & G. Briers  
coarse Prairie grass Water from 1 to 3 feet

---



136.

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana.

Ch. 16.

N. 89.10 E. On Random Betw. Sec. 16 &amp; 21

Variation 42° 30' East

40.00 Set Temp. post

80.15 Intersected N. & S. Line 5<sup>th</sup> W. S. of postThe water in the Marsh & Windfall  
from 2 to 3 feet deepLand this 80.15 from. Timber  
all of a small growth Willow Alder  
and Rose Thorns

N. 89.6 W. Established Line Betw. Sec. 16 &amp; 21

21.00 a Willow 8 in. diam.

40.07 Set 2<sup>nd</sup> Sec. post p. 10th.

a Willow 4 in. diam. N. 40 E. 20 W. 8 "

an S. Ash 6 " " " N. 20 W. 8 "

60.18 an S. Alder 6 " "

80.15 to Sec. Cor.

North Between Sections 16 &amp; 17 Var. 4.10'

18.00 Leaves Marsh &amp; fallen timber

24.12 a Poplar 30 in. diam.

31.86 a Birch 20 " "

40.00 Set 2<sup>nd</sup> Sec. post p. 10th.

a W. Oak 40 in. diam. N. 41 E. 26 W. 1 "

a Hickory 12 " " " N. 46 W. 3 "

48.61 a Lym 12 " "

69.28 a Burr Oak 24 " "

78.00 a Branch 6 lbs. wide ca. N. 10 W.

80.00 Established Cor. to Sec. 8, 9, 16, 17, p. 10th.

a Birch 20 in. diam. N. 28 E. 15 W. 1 "

an Ironb. 8 " " " N. 75 E. 8 "

Land from 18.00 fallen timber  
& Marsh from East 68.00 Soil good

Second rate W. Oak, Poplar, Birch, Lym.

&amp; Sugar. Thick Undergrowth. Thin P. Ash &amp; Beech.

137.

T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

clo. lks

N. 89° 12' E. On Random Betw<sup>th</sup> Sec. 9 & 16. Var. 4.30' E.  
 40.00 Set Temp. 4. feet  
 54.00 a Branch 12 in. wide cor. N. W.  
 80.12 Intersected N. & S. Line 5 lks. S. of junction  
 Land this 80.12 Set Second  
 rate Timber W. Oak Hickory, G. Ash,  
 Sycamore & Beech. Thick Undergrowth  
 of Spice, P. Ash, & Beech. - April 28, 1847

---

89.15 lks. Established Line Betw<sup>th</sup> Sec. 9 & 16.  
 10.37 a Beech 12 in. diam.  
 20.18 a Spruce 18 " "  
 34.87 a Beech 20 " "  
 40.06 Set 2<sup>nd</sup> Sec. from junction  
 a Sycamore 30 in. diam. cor. N. 15 E. 16 lks.  
 a Beech 12 " " " 34 1/2 lks.  
 49.72 a Sycamore 30 " "  
 65.03 a Poplar 20 " "  
 80.12 to Sec. Cor.

---

North Return Section 8 & 9 Var. 4.10' E.  
 5.00 a Branch again cor. N. E.  
 19.83 a G. Ash 18 in. diam.  
 29.36 a W. Oak 18 " "  
 40.00 Set 2<sup>nd</sup> Sec. from junction  
 a Beech 18 in. diam. cor. N. 14 E. 25 lks.  
 an Iron ore 10 " " " N. 58 W. 29 "  
 47.00 a Road cross N. 80 E.  
 51.22 a Hickory 30 in. diam.  
 64.23 a Beech 12 " "  
 80.00 Established Cor. to Sec. 4 & 5. 8.9 from junction  
 a Beech 14 in. diam. cor. N. 31 W. 1 lks.  
 a Spruce 14 " " " 16 W. - "  
 Land this 80.00 Set Second rate,  
 W. Oak, Hickory, Spruce, Poplar, & Beech. Thick growth  
 of Spice Iron ore & Beech.

---

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana,  
 Chas. Mcs.

N 89.10' E. On Random Betw<sup>4</sup> Sec. 4 & 9

Variation 4<sup>th</sup> 30' East.

12.00 Outlet 10 lks. wide co. N. from Willow  
 Pond 5.00 S. of Line

40.00 Set Temp<sup>y</sup> post

52.50 a Road bears N.W.

61.00 a Road bears N.E.

80.03 Intersected N.E. line at post

Land here good second rate  
 timber W. Oak, Sugar, G. Ash, Elm &  
 Beech. Thick Undergrowth Spruce, P. Ash & Birch.

N 89.10' W. Established Line Betw<sup>4</sup> Sec. 4 & 9

10.21 a Beech 18 in. diam.

24.86 a W. Elm 24 " "

35.15 a W. Oak 14 " "

40.01 Set 2<sup>nd</sup> Sec. post from post

a Beech 20 in. diam. N 78 E. 23 lks.

a Sugar 24 " " " 420 E. 18 "

60.20 a Beech 30 " "

80.03 to Sec. Cor

North Between Sections 4 & 5 Var. 4<sup>th</sup> 10' E.

20.50 a Road bears E. N.

40.00 Set Temp<sup>y</sup> post

66.50 Low Bottom Land cover<sup>d</sup> with water  
 from Mill Dam West

71.00 Bed of Pipe Creek co. N. Low inundated  
 Banks. Slow Current

72.00 Leave Pipe Creek

72.50 Intersected N. Boundary 8 lks. E. of post

Land from 66.50 to 72.50 good second  
 rate. Timber W. Oak, Sugar, Lym. Hick<sup>y</sup>,  
 Beech, N. Y. Spruce, P. Ash & Birch. - Last  
 17.00 Low inundated Land S. Ash, Maple,  
 Lym. & Elm. — April 29. 1847.

189.

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana

chs. chs.

- S. 3' E. Established Line Betw<sup>n</sup> Secs. 4 & 5.  
 26.39 a Lym 18 in. diam. } Willow 8.9.6 E. 18 in.  
 32.50 Established 2<sup>nd</sup> Sec. from Elm 20' 20 W. 12.  
 No bearings given  
 72.50 to Sec. Cor.

- North Between Sections 31 & 32 Var. 4' 10' E.  
 17.56 a Hickory 18 in. diam.  
 29.08 a Poplar 40 " "  
 31.00 a Lival 20 lbs. wide co. West  
 40.00 Set 2<sup>nd</sup> Sec. from p. wh.  
 a Beech 18 in. diam. to S. 75' E. 21 lbs. x  
 a Do 12 " " " N. 83 W. 29 "  
 50.95 a G. Ash 24 " "  
 63.81 a Beech 20 " "  
 80.00 Established Cor. to Secs. 29, 30, 31, 32 p. wh.  
 a Poplar 30 in. diam. to N. 53 E. 23 lbs. x  
 a Beech 14 " " " S. 43' N. 28 "

Land this 80.00 Livel. Second  
 rate. Timber. W. Oak, Hickory, Lym, Poplar,  
 G. Ash, & Beech. Thick Undergrowth  
 of Spice Shrub & Beech.

- N. 89.30' E. On Random Betw<sup>n</sup> Secs. 29 & 32  
 Variation 4' 30' East  
 19.00 a Road near South  
 38.50 N. Fork of Deer Creek 50 lbs. wide canal  
 N. Low Banks - Slow Current  
 40.00 Set Temp. post  
 79.81 Interrupted N. Y. Line 25 lbs. S. of post  
 Land Live Second rate, Tim.  
 W. Oak, Hickory, G. Ash, Poplar, & Beech.  
 Thick Undergrowth of Spice Shrub & Beech.

- 89.20 W. Established Line Betw<sup>n</sup> Secs. 29 & 32  
 10.56 a Hickory 18 in. diam.



140. T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana

ch. lks.

20.11 a Beech 12 in. diam.

35.40 a Hick. 18 " "

39.90 Set 2<sup>nd</sup> Sec. post p. wh.  
an H. Elm 8 in. diam. to S 1/2 E 29 lks. &  
a Do 20 " " N 1/2 E 33 "

49.18 a Sycamore 30 " "

60.57 a Beech 20 " "

79.81 to Sec. Cor.

---

189.30 N. On Random Butte Sec. 30 & 31

Variation 4.30' East

2.50 a Shue 20 lks wide co. N. 30 E.

40.00 Set Temp. post

65.50 a Creek 25 lks wide co. N. E.

70.83 Intersected W. Boundary 20 lks. S. of post  
Land here 2<sup>nd</sup> Rate Timber  
W. Oak, Poplar, G. Ash, Sugar & Beech.  
Wright, Spruce, Ironwood & Beech scattering

---

189.38 E. Established Line Butte Sec. 30 & 31

a Beech 12 in. diam. to S 30 E. 11 lks. do.

a R. Elm 8 " " " N 1/2 E 30 " "

13.61 a Do 20 " "

22.16 a Beech 20 " "

33.83 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 8 in. diam. to N 38 E. 22 lks. &

a Do 10 " " " S 52 W. 13 "

48.19 a Do 18 " "

62.10 a R. Elm 12 " "

73.83 to Sec. Cor.

---

North Between Section 29 & 30 Var. 4.10' E.

4.50 a Shue 15 lks. wide co. N. E.

13.00 State Road from Delphi to Marion  
Course S. 85 E.

20.20 a Syc 18 in. diam.

T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

144.

clo. lks.

- 36.71 a Beech 18 in. diam.  
 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Sycamore 30 in. diam. P. 42 E. 11 lks. &  
 an Ironw<sup>d</sup> 8 " " " N 2 E. 33 "  
 48.30 a W. Elm 24 " "  
 68.50 a Poplar 24 " "  
 80.00 Established Cor. to Sec. 19, 20, 29, 30 p. wh.  
 a W. Oak 12 in. diam. P. N 37 E. 15 lks. &  
 an Ironw<sup>d</sup> 8 " " " S 19 E. 28 "

Land this 80.00 val. Second  
 rate Timber W. B. Oak, Sugar, G. Ash,  
 Poplar, Ironw<sup>d</sup>, Beech, Thick Undergrowth,  
 of Spruce, Ironw<sup>d</sup>, & Beech.

N. 89.20 E. On Random Betw. Sec. 20 & 29.

Variation 4.30 East

- 3.50 a Road cross N. & S.  
 14.50 N. Fork of Deer Creek 50 lks. wide co. N. W.  
 Low Banks, and slow current  
 26.00 a Road cross N. W.  
 40.00 Set Temp. post.  
 43.50 a Line 20 lks. wide co. South.  
 79.50 Intersected N. & S. Line 20 lks. S. of post.  
 Land sure Second rate -  
 Timber W. Oak, Hickory, Gum, Elm,  
 Poplar, & Beech. - Thick Undergrowth,  
 of Spruce, R. Ash, & Beech.

N. 89.12 W. Established Line Betw. Sec. 20 & 29

- 10.06 a Beech 20 in. diam.  
 30.63 a Poplar 18 " "  
 39.75 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Hickory 18 in. diam. P. S 59 E. 15 lks. &  
 a Sugar 18 " " " N 7 S W. 12 "  
 49.37 a Gum 24 " "  
 60.00 a Beech 12 " "

142. T. S. N. P. S. E. 2<sup>nd</sup> Mr. Indiana,  
Chs. Lks.  
79.50 to Sec. Cor.

---

89.38' M. On Random Betw. Sec. 19 & 30  
variation 4.30' East -

40.00 Set Temp. post  
41.00 a Elm 20 lks. wide co. North.  
43.00 a Branch 6 lks. " " North  
74.15 Intersection W. Boundary, at post  
Lana Lure Second rate.  
Timber W. B. Oak, Elm, Sycamore,  
G. Ash, Sugar, & Beech. Thick  
Undergrowth of Spice, P. Ash, & Beech.

---

89.38' E. Established Line Betw. Sec. 19 & 30

9.22 a W. Elm 18 in. diam. } Beech 18 Nos. 24.  
22.18 a Beech 12 " " } do 10.43 E. 41.  
34.15 Set 2<sup>nd</sup> Sec. post p. wh.  
a B. Oak 30 in. diam. to No. 6 3 lks. &  
a W. Elm 20 " " " 4.40 W. 10 "  
64.35 a Beech 24 " "  
74.15 to Sec. Cor. April 30, 1847

---

N. 10 W. Between Sections 19 & 20

Variation 4.10 East

5.85 a Poplar 24 in. diam  
19.08 a W. Oak 18 " "  
31.73 a Beech 20 " "  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a Beech 10 in. diam. to S. 57 E. 17 lks. &  
a Poplar 34 " " " N. 34 W. 6 "  
50.00 N. Fork of Sugar Creek 50 lks. wide co. N. W.  
Low Banks. Pluggish Current  
71.00 Gradual Ascent of Lana Elm. 10°  
80.00 Established Cor. to Sec. 17, 18, 19, 20. p. wh.  
a Beech 10 in. diam. to S. 27 W. 17 lks. &  
a do 18 " " " N. 6 W. 20 "

1213.

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana.  
 ch. 1<sup>st</sup>

Land from 5000 level Second  
 rate - Timber W. Oak. Lym. Hickory  
 Sugar. G. Ash. & Beech. - Next 2000 Low  
 Overflowed Bottom - Second rate Timber  
 S. Ash. S. Elm. & Maple - Undergrowth  
 Willow - Last 500 level Second rate  
 Timber Oak, G. Ash. Elm. & Beech.  
 Undergrowth as before -

489.12 E. On Random Betw. Sec. 17 & 20  
 Variation 4° 30' East

15.00 a Road across S. E  
 40.00 Gr. Temp. j. post  
 41.00 Swamp & Windfall c. S. E.  
 50.00 Corner of Old Windfall East  
 79.87 Intersected N. Y. Line at post

Land from 5000 level Second  
 Timber W. Oak. Poplar. Sugar. Lym.  
 & Beech. - Undergrowth Spruce & Beech.  
 Last 2000 Marshy poor - Timber  
 mostly Undergrowth - S. Ash. Maple & Elm.  
 Alder & Willow -

489.12 W. Established Line Betw. Sec. 17 & 20

19.73 an S. Ash 8 in. diam.  
 35.07 a Beech 6 " "  
 39.93 Gr. 2<sup>nd</sup> Sec. post from wh.  
 a R. Elm 8 in. diam. B. N. 66<sup>th</sup> 10<sup>th</sup> Sec. &  
 a Do 6 " " " S 36<sup>th</sup> E. 11 "  
 50.19 a Lym 12 " "  
 70.14 a Beech 20 " "  
 79.87 to Sec. Cor.

489.38 W. On Random Betw. Sec. 18 & 19  
 Variation 4° 30' East

40.00 Gr. Temp. j. post



# T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

ch. 16.

44.50 a Road bars N. E.

64.00 a Swamp extends N. & S.

73.20 Intersected W. Boundary 20 lbs. N. of post  
Land from 64.00 Sur. Quota  
rate - Timber N. Oak Sugar. Gum.  
Hickory, & Beech - Thick Undergrowth  
of Spruce, P. Ash, Spruce, & Beech -  
Last 9.20 Swamp from  
Timber S. Ash, Elm & Maple -  
Undergrowth S. Willow -

N. 89.30 E. Established Line bet<sup>rs</sup> Sec 18 & 19  
an S. Ash 30 in. diam. to N. 41 E. 20 lbs. &  
a P. Ash 20 " " " N. 37 E. 27 "

22.60 a Beech 20 " "

33.20 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 12 in. diam. to N. 58 E. 18 lbs. & 1/2  
a Do 18 " " " N. 86 W. 22 " "

48.10 a Spruce 20 " "

73.20 to Sec. Cor.

## North Return Section 17 & 18

Variation 4.10 East

10.36 a Beech 20 in. diam.

12.50 Old Windfall bars N. 85 E.

26.50 a Beech 20 in. diam.

27.50 Near Old Windfall

31.50 a Road bars S. 60 E.

41.70 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 14 in. diam. to N. 47 E. 24 lbs. &

a Do 12 " " " N. 30 W. 34 "

53.00 a Road bars N. E. to small Impr-  
ovement in N. W. 2<sup>nd</sup>

62.10 a Beech 12 in. diam.

80.00 Established Cor. to Sec. 7, 8, 17, 18 p. wh.

a W. Oak 40 in. diam. to N. 16 W. 34 lbs. &

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana  
cls. lks.

a Buckeye 12 in. diam. to N 53 E. 28 lks. &  
Land first 12.50 Line second  
rate - Timber W. Oak, Hickory, Sugar &  
Beech. - Next 15.00 Old Windfall. wt  
Land. third rate. Small growth  
of timber - Oak, Ash, Sycamore & Beech.  
Undgth. Spice P. Ash, Hawthorn &  
Green Birch - Last 53.00 Line good second  
rate - Timber W. Oak, Sugar, Hickory,  
& Beech. - Thick Undgth. of Spice, Hawthorn  
and Beech -

Aug. 12<sup>th</sup> On Random Betw. Sec. 8 & 17

Variation 4:30 East

13.00 a Branch 6 lks. wide co. North.

40.00 Set Temp. 4. post

79.50 a Branch 10 lks. wide co. N. 10 W.

80.00 Intimated N. & S. Line at post

Land this 80.00 wt second  
rate - Timber N. & B. Oak, Sugar, Sycamore,  
Poplar, & Beech. - Thick Undgth.  
of Spice, Hawthorn & Beech. -

Aug. 12<sup>th</sup> Established Line Betw. Sec. 8 & 17

14.85 a Beech 12 in. diam.

25.31 a W. Oak 18 " "

35.50 a Sycamore 12 " "

45.00 Set 2<sup>nd</sup> Sec. post from N. W.

a Beech 20 in. diam. to N. 34 E. 8 lks. dir.

an Hawthorn 8 " " " 9.15 W. 15 " "

49.97 a G. Ash 18 " "

65.19 a Sugar 24 " "

86.00 to Sec. Cor.

Aug. 30<sup>th</sup> On Random Betw. Sec. 7 & 18

Variation 4:30 East

146.

T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana

Ch. lks.

24.00 a Branch 6 lks. wide co. North.

34.50 a Road bars North

40.00 Set 2nd Sec. post

61.50 a Branch 6 lks. wide co. North

72.50 Intersected N. Boundary at post  
Land this 72.50 had good  
second rate - Timber W. Oak Sugar.  
Poplar, Gum, & Beech - White Pine  
& Beech scattering - May 1, 1847

189.30'6. Established Line Bitt. Sec. 7 &amp; 18

a Beech 12 in. diam. to 32 E. 55 Mer. &amp;

a Do 8 " " " 179 E. 39 "

7.56 a Do 12 " "

17.81 a Gum 18 " "

32.50 Set 2<sup>nd</sup> Sec. post p. wh.

a Sugar 12 in. diam. to 65 E. 30 lks.

a Beech 14 " " " 146 E. 55 "

57.00 a Do 18 " "

67.06 a Gum. 20 " "

72.50 to Sec. Cor.

North Between Sections 7 &amp; 8 Var. 4.10'6.

9.50 a Road bars E. &amp; N.

12.05 a W. Oak 48 in. diam.

19.00 S. W. Cor. of Farm

25.00 Leave Farm

27.00 a Branch 10 lks. wide co. W.

36.50 a Road bars N. E.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 20 in. diam. to 45 E. 38 lks. &amp;

an Iron. 8 " " " 17 E. 18 "

49.08 a Hickory 24 " "

65.68 a W. Oak 24 " "

80.00 Established Cor. to Sec. 5, 6, 7, 8. p. wh.  
a Hickory 30 in. diam. to 44 N. 33 lks.

T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
Chs. 116.

a Beech 12 in. diam. E. N. 3 E. 9 lbs. dia.  
Land this 80.00 level good.  
Second rate Timber W. Oak, Sugar,  
Poplar, Hickory, & Beech. Thick  
Undergrowth of Spice, P. Ash, Ironwood & Beech.

N. 89.15 E. On Random Betw. Sec. 5 & 8

Variation 4.30 East

16.50 a Road bars North  
20.50 a Branch 6 lbs. wide co. N. W.  
40.00 Set Temp. post  
60.00 a Branch 10 lbs. wide co. N.  
79.50 Intersected N. P. Line 10 lbs. N. of post  
Land this 79.50 level good.  
Second rate Timber W. Oak, Sugar,  
Lynn, Poplar & Beech - Scattering  
Undergrowth of Spice & Beech -

N. 89.16 W. Established Line Betw. Sec. 5 & 8

15.10 a Beech 24 in. diam.  
29.75 a W. Oak 18 " "  
35.00 a Lynn 18 " "  
39.75 Set 2<sup>nd</sup> Sec. post p. w. h.  
a Beech 20 in. diam. E. N. 46 W. 21 lbs. &  
a Sugar 8 " " " 4.80 E. 3 "  
49.37 a Hickory 12 " "  
65.31 a Beech 30 " "  
74.50 to Sec. Corner

N. 89.30 W. On Random Betw. Sec. 6 & 7

Variation 4.30 East

18.00 a Road bars N. E.  
40.00 Set Temp. post  
56.00 a Road bars North  
70.00 a Branch 4 lbs. wide co. S. E.  
72.00 Intersected W. Boundary 20 lbs. S. of post



T. 25 N. R. 5 E. 2<sup>nd</sup>. W. Indiana.  
Ch. Lk.

Land Lnd Second rate -  
Timber W. Oak, Sugar, Gum, G. Ash.  
Hickory & Beech. Winding south.  
Spruce & Beech. Scattering

489.386 Established Line Btr. Sec. 6x  
a Beech 12 in. diam. @ 1.59¢ 27 lbs.  
a Sugar 18 " " @ 1.34¢ 27 "

9.21 a Lpo 24 " "

22.36 a Beech 20 " "

32.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 12 in. diam. @ 1.17¢ 16 lbs.

a Hickory 10 " " @ 1.38¢ 13 "

53.00 a W. Oak 18 " "

63.08 a Beech 12 " "

72.00 to Sec. Cor.

North. Between Sections 5 & 6 Var. 4.10 East

38.00 a Road bars N. W.

40.00 Set Temp. post

50.00 Descent 10 feet - Elev. 45° to Low  
Bottom Land

59.00 Pipe Creek co. W. Banks 8 feet  
high - Slow Current

61.00 Near Pipe Creek

61.50 South side of W. P. Mabrey's Farm  
8. acres, and Log Cabin

69.00 Near Farm

74.00 Intermittent N. Boundary 20 lbs. N. of post

Land fine 50.00 gently rolling  
second rate. Timber W. Oak, Sugar, Poplar,  
and Beech. West 9.00 Bottom Land  
fine rate - Timber Beech, Buckeye, and  
Hackberry. Last 14.00 Lnd second rate  
Timber W. Oak, Poplar, & Beech. Much Spruce  
Hornbeam & Beech

T. 25 N. R. 5 E. 2<sup>nd</sup> Mer. Indiana. 149.

cls. lbs.

1.8 W. Established since Put in: Sec. 5 & 6.  
a Beech 12 in. diam. to Log & 26 lbs.  
a Ho 10 " " " 4.8 W. 36 "

21.63 a Beech 12 "  
34.00 Set 2<sup>nd</sup> Sec. for each.  
a Cherry 8 in. diam. to 18 W. 13 lbs. x  
a Ho 10 " " " 164 E. 24 "

51.39 a Beech 20 "  
61.08 a Lym 12 "  
66.19 a Beech 12 "  
74.00 to Sec. Cor. May 2<sup>nd</sup> 1847

### General Description

Township No. 25 North of  
Range No. 5 East, is heavy timbered  
Land. Good second rate Land.  
Timber W. B. Oak, Lym, Poplar,  
Walnut Sugar & Beech. And a thick  
undergrowth of Spice Spruce & Beech.

The Creek has low Banks,  
and a slow current northward.

The Beds of the Branches  
are nearly on an elevation with the  
surface of the Land. and have  
slow currents in the direction they  
bear.

The Old Windfall being  
in an Eastern direction throughout. The  
Township, is all swampy Marsh. the  
water being from one to three feet deep.

The timber is of a small  
growth. of Spice Lym. Willow P. Ash,  
H. Elm, G. Ash, and Alder. with  
patches of Rose Green Birch

125 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana

I Abner E. Van Ness  
Deputy Surveyor do solemnly swear  
that pursuant of a Contract  
dated the 20<sup>th</sup> day of May 1846. with  
Lucius Lyon Surveyor General of the  
United States, for Ohio, Indiana,  
and Michigan. And in strict  
conformity to the Laws of the United  
States and instructions of said  
Surveyor General - I have Surveyed  
and Subdivided into Sec<sup>s</sup>. Townships  
N<sup>o</sup>. 25 North of Range N<sup>o</sup>. 5 East, of  
the 2<sup>nd</sup> principal Meridian in  
the State of Indiana

And I do further solemnly  
swear, that the foregoing are the  
true and Original Field Notes of  
said Survey and Subdivision of said

Abner E. Van Ness  
Deputy Surveyor.

Sworn & Subscribed to before  
me this 29<sup>th</sup> day of May 1847  
Jas. W. Dunn  
Justice of the Peace

Jerome V. Gurney  
James Bell 3 Chainmen

Isaac McCellin Marker

T. 25 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana. 157.

I certify that the foregoing  
Transcript of the Field Notes of  
Township No. 25 North, in Range  
No. 3 East, 2<sup>nd</sup> Meridian, Indiana,  
has been compared with the  
Original Notes in this Office  
and found to be correct.

Surveyor General's Office

Detroit Nov. 1. 1849 J. Lucius Lyon,  
Sut. Genl.